




261 Mountain View Dr
 Colchester, VT 05446
 License #: TLAB0030
 802-767-7256
 info@vt.steepphill.com

Certificate of Analysis

Client Name: Skunk Hollow
License Number: CLVT-0072

Sample ID: VT92
Sample Description: E. Glue CGH
Sample Name: 0072-22-1-3
Sample Matrix: Flower
Date Received: 11/9/2022
Date Reported: 11/15/2022



Cannabinoids

Standard potency analysis utilizing High Performance Liquid Chromatography (HPLC; SOP-024-VT) | Test ID: #158

Analyte	% (Dry)	mg/g (Dry)	%	mg/g	LOD (mg/g)	LOQ (mg/g)
CBDV	< LOQ	< LOQ	< LOQ	< LOQ	0.0008	0.0040
CBDVA	ND	ND	ND	ND	0.0001	0.0040
THCV	ND	ND	ND	ND	0.0016	0.0049
CBDA	ND	ND	ND	ND	0.0002	0.0040
CBD	< LOQ	< LOQ	< LOQ	< LOQ	0.0008	0.0040
CBG	< LOQ	< LOQ	< LOQ	< LOQ	0.0009	0.0040
CBGA	0.3046	3.046	0.318	3.18	0.0001	0.0040
THCVA	< LOQ	< LOQ	< LOQ	< LOQ	0.0002	0.0040
CBN	ND	ND	ND	ND	0.0004	0.0040
CBCVA	ND	ND	ND	ND	0.0004	0.0040
D9 THC	0.8487	8.487	0.8861	8.861	0.0016	0.0049
D8 THC	0.1584	1.584	0.1654	1.654	0.0012	0.0040
CBNA	ND	ND	ND	ND	0.0002	0.0040
D10 THC	ND	ND	ND	ND	0.0004	0.0040
CBC	ND	ND	ND	ND	0.0003	0.0040
THCA	17.6387	176.387	18.4158	184.158	0.0002	0.0040
CBCA	0.9261	9.261	0.9669	9.669	0.0002	0.0040

Total Cannabinoids				
	% (Dry)	mg/g (Dry)	%	mg/g
Total THC:	16.318	163.178	17.037	170.368
Total Cannabinoids:	19.877	198.765	20.752	207.522

Total theoretical THC % = (delta-9-THC%) + (THCA% * 0.877)

Moisture & Water Activity

Water Activity and Moisture Content Analysis (SOP-202-VT) | Test ID: #169

Analyte	Pass/Fail	Result (%)	Limit
Moisture	PASS	4.22	13
Water Activity	PASS	0.36	0.65

Callie Chapman
 Lab Director
 11/15/2022



In performing the services, Steep Hill Vermont Labs, ("SHVT") shall exercise a degree of skill and care ordinarily exercised by a reasonably prudent laboratory professional under similar circumstances. Except as set forth in the preceding sentence, client acknowledges and agrees that: (a) the services may require SHVT to make judgements based upon limited data rather than upon scientific certainties; (b) SHVT's approach, recommendations, and associated cost estimates, if any, are based on industry practices and averages; (c) SHVT renders its opinions with respect to observations made and data available at the time of testing; (d) ultimate outcomes could be inconsistent with SHVT's conclusions, results and projections; and (e) there may be additional reports relating to the site (whether prepared by SHVT or other parties), and reliance upon any SHVT report without reference to any such other reports is done at client's sole risk.

