

Certificate of Analysis

Company: Upstate Elevator Operators 699 Pine St Burlington, VT 05401 Customer ID: 220906-2 Grower License #: SCLT0158

Sample ID: Baby Yoda Lot: 20221014BYO0001 Matrix: Flower Date Sampled: N/A Date Received: 1/23/2023

Report Date: 2/2/2023 Date Analyzed: 1/30/2023 Analyst: 035 Report ID: C230123AG

Terpenes Summary

Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
α- Pinene	0.010	1.657	0.166
Camphene	0.010	0.171	0.017
β-Myrcene	0.010	1.312	0.131
b-Pinene	0.010	2.404	0.240
3-Carene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
α-Terpinene	0.010	0.388	0.039
Limonene	0.010	2.031	0.203
ρ-Cymene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Ocimene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Eucalyptol	0.010	0.143	0.014
Y-Terpinene	0.010	0.360	0.036
Terpinolene	0.010	3.941	0.394
Linalool	0.010	2.024	0.202
Isopulegol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Geraniol	0.010	0.047	0.005
Caryophyllene	0.010	1.375	0.138
α-Humulene	0.010	0.654	0.065
Trans-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Cis-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Guaiol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Caryophyllene Oxide	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
α-Bisabolol	0.010	0.079	0.008
Total Terpenes		16.586	1.658

11.49% Percent Moisture LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by:

Luke E.M.

(802) 540-0148 laboratory@biadiagnostics.com

Luke Emerson Mason (Laboratory Director, Bia Diagnostics)