

Certificate of Analysis

Company: Brookfield Buds LLC

Sample ID: Froot by the Foot

Lot: N/A

Report Date: 10/31/2022

Matrix: Flower

Date Analyzed: 10/31/2022

Customer ID: 220906-0

Date Sampled: 10/14/2022

Analyst: RS


Grower License #: SCLT0043

Date Received: 10/17/2022

Report ID: C221017BK

Pathogen Summary

Target Pathogens	Method	LOD (cfu/g)	Result (cfu/g)
Aspergillus - flavus, fumigatus, niger, terreus	Aspergillus AOAC PTM No. 032104	5	<LOD
STEC	STEC Virx AOAC PTM No. 121203	5	<LOD
Salmonella spp.	Salmonella II AOAC PTM No. 010803	5	<LOD



Test Methodology: Bio-Rad IQ-Check PCR Kits

cfu/g = colony forming units per gram

LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).

Reagent Blanks: <LOD for all analytes

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: *Luke E. M.*
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

Certificate of Analysis

Company: Brookfield Buds LLC

Sample ID: Froot by the Foot

Report Date: 11/4/2022

Lot: N/A

Matrix: Flower

Date Analyzed: 10/31/2022

Customer ID: 220906-0

Date Sampled: 10/14/2022

Analyst: 45

Grower License #: SCLT0043

Date Received: 10/17/2022

Report ID: C221017BK

Pesticides/Mycotoxins Summary


Category II Residual Pesticide	LOQ (ppm)	Concentration (ppm)
Abamectin	0.0100	<LOQ
Acephate	0.0010	<LOQ
Acequinocyl	0.0010	<LOQ
Azoxystrobin	0.0010	<LOQ
Bifenazate	0.0010	<LOQ
Bifenthrin	0.0010	<LOQ
Carbaryl	0.0010	<LOQ
Cypermethrin	0.0100	<LOQ
Etoxazole	0.0010	<LOQ
Imidacloprid	0.0010	<LOQ
Myclobutanil	0.0010	<LOQ
Pyrethrin I	0.0010	<LOQ
Pyrethrin II	0.0010	<LOQ
Spinosyn A	0.0010	<LOQ
Spinosyn D	0.0010	<LOQ

Category II Mycotoxin	LOQ (ppm)	Concentration (ppm)
Ochratoxin A	0.0020	<LOQ
Aflatoxin B1	0.0002	<LOQ
Alfatoxin B2	0.0010	<LOQ
Alfatoxin G1	0.0002	<LOQ
Alfatoxin G2	0.0010	<LOQ

Category I Residual Pesticide	LOQ (ppm)	Concentration (ppm)
Chlorpyrifos	0.0010	<LOQ
Imazalil	0.0010	<LOQ

11.76%

**Percent
Moisture**



LOQ = The lowest quantity this method can reliably detect. Any pesticide or mycotoxins that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

ppb = parts per billion

Pesticides/Mycotoxin Methodology: Liquid Chromatography with Tandem Mass Spectrometry using PerkinElme QSight® LX50 UHPLC and QSight 220 Mass Spectrometer

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

Certified by: *Luke E. M.*
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context.

Results apply to the samples as received.



Certificate of Analysis

Company: Brookfield Buds LLC

Sample ID: Froot by the Foot

Lot: N/A

Report Date: 11/8/2022

Matrix: Flower

Date Analyzed: 11/7/2022

Customer ID: 220906-0

Date Sampled: 10/14/2022

Analyst: CF

Grower License #: SCLT0043

Date Received: 10/17/2022

Report ID: C221017BK

Terpenes Summary

Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
α - Pinene	0.010	2.386	0.239
Camphene	0.010	0.142	0.014
β -Myrcene	0.010	4.591	0.459
b-Pinene	0.010	1.862	0.186
3-Carene	0.010	<LOQ	<LOQ
α -Terpinene	0.010	0.014	0.001
Limonene	0.010	3.352	0.335
ρ -Cymene	0.010	<LOQ	<LOQ
Ocimene	0.010	<LOQ	<LOQ
Eucalyptol	0.010	<LOQ	<LOQ
γ -Terpinene	0.010	0.011	0.001
Terpinolene	0.010	0.277	0.028
Linalool	0.010	1.066	0.107
Isopulegol	0.010	0.265	0.027
Geraniol	0.010	<LOQ	<LOQ
Caryophyllene	0.010	3.291	0.329
α -Humulene	0.010	1.204	0.120
Trans-Nerolidol	0.010	<LOQ	<LOQ
Cis-Nerolidol	0.010	<LOQ	<LOQ
Guaiol	0.010	0.120	0.012
Caryophyllene Oxide	0.010	0.019	0.002
α -Bisabolol	0.010	0.022	0.002
Total Terpenes		18.622	1.862

11.76%
**Percent
Moisture**


LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by:



Luke Emerson Mason (Laboratory Director, Bia Diagnostics)